

# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/GB04/005350

International filing date: 20 December 2004 (20.12.2004)

Document type: Certified copy of priority document

Document details: Country/Office: GB  
Number: 0329507.8  
Filing date: 19 December 2003 (19.12.2003)

Date of receipt at the International Bureau: 17 February 2005 (17.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.


In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

28 January 2005





100-100-100



1/77  
22DEC03 E860943-2/000335  
P01/7700 0.00-0329507.8 ACCOUNT CHA

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road  
Newport  
South Wales NP10 8QQ

1.	Your reference	GHS/P504339GB			
2.	Patent application number (The Patent Office will fill in this part)	0329507.8 19 DEC 2003			
3.	Full name, address and postcode of the or of each applicant ( <u>underline all surnames</u> )	GUILLON, Michel 8 Caversham Street London SW3 4AH			
	Patents ADP number (if you know it)	8499931002			
	If the applicant is a corporate body, give the country/state of its incorporation				
4.	Title of the invention	CONTACT LENS			
5.	Name of your agent (if you have one)	W.P.THOMPSON & CO.			
	"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	55 Drury Lane London WC2B 5SQ			
	Patents ADP number (if you know it)	158007			
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	<table border="0"> <tr> <td style="text-align: center;">Country</td> <td style="text-align: center;">Priority application number (if you know it)</td> <td style="text-align: center;">Date of filing (Day/month/year)</td> </tr> </table>	Country	Priority application number (if you know it)	Date of filing (Day/month/year)
Country	Priority application number (if you know it)	Date of filing (Day/month/year)			
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	<table border="0"> <tr> <td style="text-align: center;">Number of earlier application</td> <td style="text-align: center;">Date of filing (Day/month/year)</td> </tr> </table>	Number of earlier application	Date of filing (Day/month/year)	
Number of earlier application	Date of filing (Day/month/year)				
8.	Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))	YES			

9. Enter then number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form 0

Description 7 

Claims(s) 1

Abstract

Drawing(s)

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents  
(Please specify)

11. I/We request the grant of a patent on the basis of this application

Signature  Date December 19, 2003

W.P. THOMPSON & CO.

12. Name and daytime telephone number of person to contact in the United Kingdom SMAGGASGALE, Gillian Helen  
020 7240 2220

### Warning

*After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.*

### Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

## CONTACT LENS

5 The present invention relates to contact lenses and more particularly relates to bifocal or multi-focal contact lenses formed from so-called intelligent polymers.

As the popularity of contact lenses has increased over the use of glasses to correct vision, it has become desirable to address the problems encountered by users who require correction of their vision for both near and distance viewing. It is therefore desirable to  
10 develop bifocal, and preferably multi-focal, contact lenses.

Examples of arrangements of bifocal contact lenses are known. One arrangement known as Alternating Image bifocals or Alternating Vision bifocals has a distance viewing region located in the upper portion of the lens and a near-viewing portion located in the bottom portion of the lens. The two parts of the lens are separated by a line extending across the  
15 lens that may be straight or curved. A review of typical designs for these lenses can be found in Ruben M. & Guillon M. (1994), Chapter 33 Presbyopia and Influence of Aging on Prescription of Contact Lenses (WJ Benjamin, IM Borish) Chapman & Hall, London, UK.

These bifocal contact lenses function by taking a different position in straight ahead gaze and in down gaze. Theoretically, in straight ahead gaze the pupil is covered by the distance  
20 zone and in down gaze the contact lens is higher and the pupil is covered by the near zone. However, this arrangement suffers from certain disadvantages.

One disadvantage of this arrangement is that it is difficult to precisely control the movement of the lens so that the pupil is alternately covered by the near and distance  
25 position. To achieve this is a skillful process that is time-consuming and not always successful. Failure to achieve optimal pupil coverage has the disadvantage that the user looks through both the distance and near positions simultaneously resulting at times in two images at once which is known as "ghosting" and habitually in a decrease in visual acuity compared that achieved with spectacles.

5 A second disadvantage is that for an Alternating Vision bifocal to perform optically it is required to move significantly more than is optimum for comfort and thus the user may experience some discomfort. Further it may be necessary to provide features on the lens to control its rotation. However, these features may increase the thickness and the irregularity of the contact lens which may result in lower comfort than the conventional  
10 simple design.

A still further disadvantage of this arrangement is that the separation line provides a discontinuity on the surface of the contact lens. If the line is situated on the anterior surface of the contact lens it can catch the eyelid, create discomfort, and pull the lens out of position at least temporarily impairing the user's vision. If the separation line is placed  
15 on the back surface of the lens it may create mechanical trauma to the ocular tissue.

An alternative lens arrangement is known under the generic term of Simultaneous Image bifocal or multifocal. These contact lenses are typically formed from two or more concentric zones of alternating distance and near power or a single zone of continuously changing power (progressive). Two options are available. In the first a centre near contact  
20 lens is known in which the near power is at the centre of the lens. In the second, a centre distance contact lens with the opposite arrangement is known. Typically for the progressive design the near portion will be in the centre but the opposite arrangement is known. Concentric zones design are commonly available both in centre near or centre distance designs. (Ruben M. & Guillon M. (1994), Chapter 33 Presbyopia and Influence of Aging  
25 on Prescription of Contact Lenses (WJ Benjamin, IM Borish) Chapman & Hall, London, UK.).

One benefit of these lenses is that they do not require movement to perform as bifocals. However, they do require excellent centration during both distance and near gaze. This requirement is a disadvantage compared to single vision contact lenses in making fitting  
30 more exacting. The principal disadvantage of these designs is due to the fact that in order to function they focus a distance and near image on the retina at all times.

5 A further disadvantage is that they produce a retinal image of poorer quality than that  
obtained with single vision contact lenses or spectacles. For example, during distance gaze  
only part of the pupil is covered by the distance optics which form the in focus image, the  
rest of the pupil is covered by out of focus intermediate and/or near zones which degrade  
the quality of the image produced on the retina and consequently decrease visual  
10 performance.

A still further disadvantage is that the size of pupils varies between patients and more  
importantly for each patient with different levels of luminance. This has the drawback that  
the exact percentage of light forming the distance and near images are not controlled.  
Various suggestions have been made to address this through the use of "pupil intelligent"  
15 arrangements and/or the use of "binocular pair" where one contact lens favours near and  
one favours distance vision. For example, one lens may have a centre near design and the  
other a centre distance design. However, even with these modifications, the above-  
mentioned drawbacks remain.

20 In a further alternative arrangement it has been proposed to use two materials of different  
refractive indexes to produce either Alternating Vision or Simultaneous Vision bifocal or  
multifocal lenses. However these differing manufacturing processes do not overcome the  
mechanical problems of the former and the visual problems of the latter.

25 In other alternative arrangements Simultaneous Vision bifocal lenses are produced utilising  
diffractive rather than refractive principles. The disadvantage of the compromised vision  
is similar in both cases and in addition a significant amount of light is lost making vision  
at night even more problematic than with refractive contact lenses.

Examples of prior art contact lenses can be found in US6511178, US6364482,  
US5835192, US6179420, US5835192, US5485228 and US5448312.

30 It is therefore desirable to provide bi- or multi-focal contact lenses which overcome the  
above-mentioned drawbacks and disadvantages. For ease of reference bi- and multi-focal



5 contact lenses will, for the purposes of this application, be collectively referred to as multi-focal lenses.

10 In addition it is desirable to provide a multi-focal contact lens which offers other advantages such as one or more of: providing the quality of vision that is achievable with conventional single vision contact lenses for both distance and near vision; be of a quality of vision similar to that achievable with single vision contact lenses for any intermediate viewing distances; does not require significant contact lens movement when the direction of gaze goes from distance to near and vice versa for the user to achieve the expected visual performance; and are as easily fitted as conventional single vision lenses.

15 A contact lens having some or all of these desirable attributes can be obtained by the use of a responsive polymer gel. These responsive polymers are also known as "smart polymers" or "intelligent polymers".

Thus according to the present invention there is provided a multi-focal contact lens wherein the lens is manufactured at least partially from a responsive polymer gel.

20 Responsive polymers have been known for some time and are polymeric materials which have the capacity to respond to external stimuli such as temperature, pH, ionic strength, light, electric field, magnetic field, shear forces or a chemical trigger. The responsive polymers are generally polymer networks. These networks are polymer-polymer compositions where there are favorable interactions between the constituent polymers. The interaction may be covalent bonding, coulombic attraction, hydrogen bonding, Van der  
25 Waals attractions, and physical interactions such as entanglement. Examples of responsive polymers can be found in US 5503893, WO 97/00275, US 4188373, US 5252318, WO 95/24430, Katoaka K et al. Journal of the American Chemical Society. Dec 1998, Tanaka T et al Faraday Discuss, 101, 201 (1995), Li Y, Hu Z, Chen Y. "Shape memory gels made by the modulated gel technology, J Appl Poly Sci 63: 1173-1178 (1997), Hu Z. Science  
30 269:525 (1995), Tanaka et al Collapse of gels in an electric field Science 218:457-469 (1982), Osada Y, Ross-Murphy SB. Intelligent gels Scientific American, May 1993 pp42

5 and Karauchi T et al "Deformation behaviors of polymer gels in electric field" In Polymer Gels. Ed. D. DeRossi et al Plenum Press, NY, 1991, pp237 which are incorporated herein by reference.

10 Any suitable responsive polymer gel may be used in the present invention which is compatible with ocular tissues. Particularly preferred are those which will change shape and/or refractive index under changes in environmental conditions and/or when a stimulus such as an electric field is applied.

The stimulus for changing the shape of the lens can be provided by the ocular environment around the contact lens or alternatively by any artificial means within the contact lens.

The device may include a detector and separately a device for causing the stimulus.

15 In one arrangement, a device embedded in one or both contact lens will produce localised changes that will trigger the responsive polymer to reversibly modify its shape.

In one arrangement of the present invention, the contact lens will change shape with the change in stimulus. This change in the shape will alter the focus distance of the lens.

20 The change in shape of the contact lens can be localised to the front surface and/or back surface and/or an embedded zone within the contact lens.

In one alternative arrangement the responsive polymer will only comprise the optical zone and/or will be embedded in the anterior or posterior of the contact lens.

25 It will be acknowledged that the present invention will enable the user to focus at any desired distance without the problems associated with the lenses of the prior art. In particular there is no requirement for movement of controlled amplitude during change of gaze. In addition, at each distance of gaze, viewing is through the entire lens and so the disadvantages of optical distortions and/or complicated head movements noted in the prior

5 art arrangements are obviated.

A further advantage of the present invention is that the lenses can be more readily fitted than the prior art lenses since they will neither require a complex mechanical fit or the adjustment of the optical power of the contact lens from the best sphere spectacle correction and near addition other than the compensation for back vertex distance.

10 The stimulus for changing the shape of the contact lens surfaces or the shape of an embedded part of the lens may be provided by an electric field produced by means imbedded in the contact lens itself. Any suitable means for providing the electric field may be used. In one arrangement a chip may be embedded in the contact lens. The chip may be a nano or micro chip and will generally be configured so that it is not visible to the user.  
15 The chip may be triggered to emit the electric field by any suitable means.

In one arrangement, the chip will monitor the eye movement and a change in eye movement will cause the chip to emit the field required to cause the responsive polymer to change shape. The monitoring of the eye movement may be carried out by the chip itself or by a separate detector in communication with the chip.

20 For example, the chip may be triggered when the user gazes inwardly and the lens may alter shape such that the user is able to clearly focus on close material.

In one alternative arrangement, the chip or a separate detector may identify the inter-pupillary distance which is the distance between the two pupils of the right and left eye. When the user is looking straight ahead, the distance between the two eyes is at its  
25 maximum. In one arrangement, it would be desirable to arrange that the chip does not issue any field in this circumstance or it may issue a maximum or minimum field. As the user looks at a point that is closer to the user, the pupils of the eyes move closer together and this will be detected. The chip will react to the change in distance and will modulate the field present to cause the shape of the responsive polymer to change such that focusing  
30 can be achieved. As the user looks at still closer points the eyes come closer together, the

5 current produced by the chip will change in intensity to give a proportional change in the contact lens front surface which will alter the power of the lens. As the user looks away again, the field will change in intensity and the shape of the lens will revert to that required for distance vision.

10 In a second alternative arrangement the chip will monitor the relative distance of a pair of contact lenses. When the user passes from distance gaze to near distance gaze, the contact lenses move with the eye and get closer together. The change in relative distance between the two contact lenses will produce a change in the power.

15 Thus in a most preferred arrangement, the lens will provide an exact correction for all focusing distances. This is particularly possible with responsive polymers which have a reaction time that is sufficiently fast that the change is not noticeable by the user so they experience clear vision.

Additionally or alternatively to the current resulting in a change in shape, the field may induce a change in refractive index.

20 Whilst the foregoing has been specifically described with reference to a chip producing an electrical field, it will be acknowledged that other means for producing a suitable stimulus may be used.

**Claims**

1. A multi-focal contact lens wherein the lens is manufactured at least partially from a responsive polymer gel.
2. A multi-focal contact lens according to Claim 1 wherein the responsive polymer gel changes shape and/or refractive index.
3. A multi-focal contact lens according to Claim 1 or 2 wherein the responsive polymer gel responds to the application of stimulus.
4. A multi-focal contact lens according to Claim 3 wherein the stimulus is an electric field.
5. A multi-focal contact lens according to Claim 3 or 4 wherein the stimulus is produced by means embedded in the contact lens itself.
6. A multi-focal contact lens according to any one of Claims 3 to 5 wherein the means of providing the stimulus is a nano or micro chip.
7. A multi-focal contact lens according to Claim 6 wherein the chip monitors the eye movement such that a change in eye movement causes the chip to emit the stimulus.
8. A multi-focal contact lens according to Claim 6 wherein the chip monitors interpupillary distance and emits a stimulus when this changes.
9. A multi-focal contact lens according to Claim 6 where the chip monitors the distance between the right and left contact lenses and emits a stimulus when this changes.



